

Product
OXY^x
Oxidizing compound for RED-OXY Treatment

Version: 1.0
 Printing Date: 15.08.2015

Watch-Water[®] encourages and expects you to read and understand the entire MSDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1 CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product Name: OXY^x

Application: Oxidizing compound for RED-OXY Treatment. Sulfate radical preparation. Water and wastewater treatment. Industrial water treatment.

Company Identification/Supplier Watch Water GmbH
 Fahlachstr. 14
 D-68165 Mannheim
 Germany
 Phone: + 49 62187951-0
 Fax: + 49 62187951-99

Emergency information (8:00- 16:45) Phone: +49 621 87951-50

2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

- **Classification according to Regulation (EC) No. 1272/2008**
 This product requires labeling or classification according to 2008/1272/EC.
- **Classification according to Directives 67/548/EEC and 1999/45/EC**
 This product requires labeling or classification according to Directive 67/548/EEC or 1999/45/EC.

Labeling:

- **Labeling according to Regulation (EC) No 1272/2008**
 This product requires labeling according to 2008/1272/EC.
- **Labeling according to Directive 67/548/EEC or 1999/45/EC**
 This product requires labeling according to 67/548/EEC or 1999/45/EC



Xi: IRRITANT

Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. The product is irritant to the skin and could be harmful if swallowed.

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 COMPOSITION / INFORMATION ON INGREDIENTS

- Chemical characterization: solid mixture

Component, name	CAS-Nr.	Classification	R-Phrase/Hazard	Conc.
Sulfate salt ₁	7646-93-7	Irritant/corrosive	R34, R36, R37, R38	20-23%
Sulfate salt ₂	7778-80-5	irritant	R22	15-18%
proprietary	proprietary	none	none	38-40%
proprietary	proprietary	Irritant	R36/38 R52/53	10%
proprietary	proprietary	none	none	10%

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non hazardous and/or present at amounts below reportable limits.

Product
OXY^x*Oxidizing compound for RED-OXY Treatment*Version: 1.0
Printing Date: 15.08.2015**4 FIRST-AID MEASURES**

- **General Information:**
Take off contaminated clothes. Wash immediately with plenty of water. Continue rinsing for at least 10 minutes. If any symptom persists, seek medical attention.
- **Eye contact:** Rinse immediately with plenty of running water. Continue for at least 15 minutes. Seek medical advice.
- **Skin contact:** Remove contaminated clothing. Wash immediately with plenty of water. Continue for at least 15 minutes. Obtain medical advice if there are persistent symptoms..
- **Inhalation:** Remove patient to fresh air, allow to rest and keep warm. In case of unconsciousness place patient stably in side position for transportation. Obtain medical advice.
- **Ingestion:** First rinse mouth with water. Immediately give 1-2 glasses of water, if victim is fully conscious. Seek medical attention.

Note to physician:

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5 FIRE FIGHTING MEASURES

- **Extinguishing media:** Extinguish with water
- **Unsuitable extinguishing media:** High volume water jet
- **Exposure hazards:** harmful gases
- **Combustion products:** carbon oxides, nitrogen oxides
- **Protective equipment:** Firefighters and other exposed, wear self-contained breathing apparatus and protective suit.

6 ACCIDENTAL RELEASE MEASURES

- The product forms a slippery surface in contact with water.
- **Personal precautions:** Wear eye protection and protective clothing.
- **Environmental precautions:** Keep out of drains and water courses.
- **Methods for cleaning up:** Vacuum or sweep up material and placed in a designated waste container. Avoid dust formation.
- **Disposal method:** The material be disposed in accordance with applicable local, state and federal regulations.

7 HANDLING AND STORAGE

- **Handling:** Normal chemical handling. Dust mask should be used when large quantities are used in the absence of good local exhaust ventilation. Avoid the formation and deposition of dust. Take precautionary measures to avoid static charges. Wash hands after handling.
- **Storage:** Protect from sun. Store in a dry, cool place. Keep container sealed and dry.
- The relevant fire protection measures should be noted.

8 EXPOSURE CONTROL/PERSONAL PROTECTION

Exposure limit: no specific value; the national exposure limit for dust should be observed.

Personal protective equipment:

- **Respiratory protection:** Respiratory protection if dust is formed. In case of insufficient ventilation, use an appropriate approved particulate respirators (for example EN 143 or 149, type P2 or FFP2).
- **Eye protection:** Safety glasses with side-shields (frame goggles). Where eye contact or dusty conditions may be likely, dust tight goggles are recommended.
- **Hands:** Chemicals resistant gloves butyl-rubber protective gloves.
- **Skin protection:** Wear appropriate protective clothing. Avoid skin contact with the spilled product.

Product
OXY^x

Oxidizing compound for RED-OXY Treatment

Version: 1.0
Printing Date: 15.08.2015

- **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

9 PHYSICAL AND CHEMICAL PROPERTIES

General Information:

Physical State	solid, granulate
Appearance	white
Odor	weak, product specific
Flash point:	Not flammable, decomposes over 85°C
Bulk density:	ca. 990 - 1100 kg/m ³
pH	2.3 - 2.5 (in 1% solution)
Solubility in water at 20°C:	>200 g/l

10 STABILITY AND REACTIVITY

- **Thermal decomposition/conditions to be avoided:** No decomposition if used according to specifications. Avoid storing at high temperatures or in direct sunlight.
- **Materials to avoid:** Contact with strong oxidizing agents and alkaline substances.
- **Conditions to avoid:** Dust formation
- **Hazardous decomposition products:** None when used according to specifications

11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Oral LD50 (oral, rat) >1000 mg/kg

Primary irritant effect:

Skin (rabbit): Irritant to skin and mucous membranes

Eye (rabbit): Irritant

12 ECOLOGICAL INFORMATION

Toxicity

- **Aquatic toxicity:**
LC50 (Leuciscus idus, 96 hours) > 3500 mg/l
- **Toxicity to microorganisms:**
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.
- **Persistence and degradability:**
not applicable
- **Bio-accumulative potential:**
No bioaccumulation is to be expected.
- **Mobility in soil:**
No further relevant information available.
- **Additional ecological information:**
Do not release untreated into natural waters.

The product has not been tested. The statement has been derived from the properties of the individual components.

Product

Oxidizing compound for RED-OXY Treatment

Version: 1.0
 Printing Date: 15.08.2015

13 | DISPOSAL CONSIDERATIONS

- **Recommendation:** must not be disposed together with household solid waste. Do not allow product to reach sewage system.
- **Recommendation:** Disposal must be made according to official regulations.

14 | TRANSPORT INFORMATION

- **Land Transport (ADR/RID/ADN):** Not classified as dangerous good under transport regulations
- **Sea Transport (IMDG/IMO):** Not classified as dangerous good under transport regulations
- **Air Transport (IATA/CAO):** Not classified as dangerous good under transport regulations

15 | REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
 Labeling according to Regulation (EC) No 1272/2008

16 | OTHER INFORMATION

- **NFPA (National Fire Protection Association) & HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification**
 Health: 2 moderate
 Flammability: 0 minimal
 Instability or Reactivity: 1 minimal
 PPE: Irritant
- This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual relationship.
- **Disclaimer:**
Watch Water® GmbH provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. This MSDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable regulations and laws relating to the product being used.
- **NOTICE: WATCH WATER GMBH MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, WATCH WATER GMBH WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.**