


SCALE-TECH

PREVENT
PROTECT
PROLONG

-THE ULTIMATE SCALE SOLUTION!!



FilterSorb SP3 media is the result of extensive research work along with its undisputable success in the market worldwide. Watch Water's Nucleation Assisted Crystallization (NAC) technology eliminates scale build-up naturally and effectively by converting dissolved hard minerals into inert microscopic crystal particles that harmlessly pass with water through the drain. Unlike salt-based water softeners, our systems will not demineralize your water. Our Cartridges run without any electricity. Enjoy wonderful, salt-free drinking water with no soap lather formation in the shower or while cleaning the dishes.



Watch Water's **ScaleTech** cartridge systems provide scale protection on internal and external plumbing surfaces. Our cartridge-based systems can be installed on a cold-water line before a water-using device (water heater, hot-beverage system, appliance, steamer, etc.) that needs hard water protection. Watch Water uses FilterSorb SP3 filled in the new SpinX cartridges and place it in the standard big blue housings (10" and 20" variants).

BENEFITS



NO pH or TDS
Change



Cost Efficient



Simple
Installation



Zero
Maintenance



Zero Electricity
Consumption



No salt




Minerals
Preserved



Scale
Prevention

ONE PRODUCT, MANY APPLICATIONS....





SYSTEM PARAMETERS				
Model	ScaleTech SL 10	ScaleTech SL 20	ScaleTech BB 10	ScaleTech BB 20
Service* Flow rate	4.5 lpm/ 1.2 gpm	8.5 lpm/ 2.2 gpm	12 lpm/ 3.2 gpm	16 lpm/ 4.2 gpm
Maximum** Flow rate	6.0 lpm/ 1.6 gpm	11.0 lpm/ 2.9 gpm	15.0 lpm/ 4.0 gpm	21.0 lpm/ 5.5 gpm
Dimensions	10" x 2.5"	20" x 2.5"	10" x 4.5"	20" x 4.5"
Media Amount	250 ml	500 ml	750 ml	1000 ml
*The system can maintain scale protection 24/7 at this flow rate. ** The system can maintain scale protection for several minutes temporarily, but not constantly at this flow rate.				


Please Note:

- Practically, any flow rate is possible by connecting the cartridges in parallel to each other.
- ScaleTech cartridges can tolerate chlorine up to 3 ppm.
- Additionally, a catalytic carbon filter can also be used in front of ScaleTech to get the best results.
- Watch Water recommends changing the cartridge every two years.

The cartridges now include the new



The cartridges now include the new SpinX distribution technology. The SpinX technology in the cartridges is way more efficient for water distribution. The bottom distributor has slits at a certain angle such that it creates a lot of agitation in the water. This agitation creates a tornado effect and fluidizes the media bed, hence ensuring widespread water distribution. It optimizes the treatment capacity performance of our NAC media by creating an internal forced turbulence that allows a uniform distribution of the FILTERSORB® SP3 media bed during the treatment.



CONTACT US



WATCH WATER GmbH
Fahrlachstr. 14,
68199 Mannheim,
Germany

Tel: +49 (0) 621 87951 51 0
Fax: +49 (0) 621 87951-99
Email: info@watchwater.de
Website: www.watchwater.de